L Number	Hits	Search Text	DB	Time stamp
3	347	(606/70,71).CCLS.	USPAT; US-PGPUB;	2004/09/24 13:47
4	609	(606/69).CCLS.	EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24
5	217	((606/70,71).CCLS.) not ((606/69).CCLS.)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24
119	2967239	plastic polymer	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24 14:29
120	4437562	metal\$3 steel titanium	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24 14:29
121	1253566	screw fastener	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24 14:30
122	3071269	plate	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24 14:30
123	151481	(plastic polymer) with plate	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24
124	94197	(metal\$3 steel titanium) with (screw fastener)	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24 14:31
125	43760	606/\$.ccls.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24 14:32
126	5135	((plastic polymer) with plate) and ((metal\$3 steel titanium) with (screw fastener))	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24 14:32
127	100	<pre>(((plastic polymer) with plate) and ((metal\$3 steel titanium) with (screw fastener))) and 606/\$.ccls.</pre>	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24 14:32
_	609	(606/69).CCLS.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/24 13:47
_	2	("5306275").PN.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/23 20:12
_	2	("5147361").PN.	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/23 20:27
_	6844	\threadable	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/23 20:27
_	6844	threadable	DERWENT USPAT; US-PGPUB; EPO; JPO;	2004/09/23 20:28
			DERWENT	

_	7	((606/69).CCLS.) and threadable	USPAT;	2004/09/23
1			US-PGPUB;	20:29
			EPO; JPO;	
			DERWENT	
	3071269	plate	USPAT;	2004/09/23
+		F	US-PGPUB;	20:29
			EPO; JPO;	
			DERWENT	
	2027	threadable and plate	l .	2004/00/22
-	2937	threadable and plate	USPAT;	2004/09/23
			US-PGPUB;	20:29
			EPO; JPO;	
			DERWENT	
_	34	threadable near plate	USPAT;	2004/09/24
			US-PGPUB;	10:37
			EPO; JPO;	
			DERWENT	
_	545	threadable with plate	USPAT;	2004/09/23
		F	US-PGPUB;	20:30
			EPO; JPO;	20.00
			DERWENT	
_	2	threadable with plate not (threadable	1	2004/09/23
-	2		USPAT;	20:31
		near plate) and ((606/69).CCLS.)	US-PGPUB;	20:31
	.		EPO; JPO;	
			DERWENT	1 1
-	8	create near thread\$2 with plate	USPAT;	2004/09/23
			US-PGPUB;	20:32
			EPO; JPO;	
			DERWENT	
_	7305	create with thread\$2	USPAT;	2004/09/23
			US-PGPUB;	20:32
			EPO; JPO;	
			DERWENT	
	17	(create with thread\$2) and	USPAT;	2004/09/23
	1	((606/69).CCLS.)	US-PGPUB;	20:33
		((000/03/.0013./	EPO; JPO;	20.55
			DERWENT	
	225070	thread	I .	2004/09/23
-	325078	unread	USPAT;	
			US-PGPUB;	20:33
			EPO; JPO;	
			DERWENT	
_	252	thread and ((606/69).CCLS.)	USPAT;	2004/09/23
			US-PGPUB;	20:34
			EPO; JPO;	
			DERWENT	
-	100	thread with plate and ((606/69).CCLS.)	USPAT;	2004/09/24
			US-PGPUB;	08:37
			EPO; JPO;	
			DERWENT	
	2	("4952213").PN.	USPAT;	2004/09/24
	1	,	US-PGPUB;	09:12
	1		EPO; JPO;	
	1		DERWENT	
	22	//"2 770 230"\ or /"4 453 530"\ or	1	2004/09/24
-	22		USPAT; US-PGPUB;	09:12
		("4,457,307") or ("4,492,226") or	1	09:12
	1	("4,520.511") or ("5,486,178") or	EPO; JPO;	
	1	("5,649,928") or ("5,674,223") or	DERWENT	
	1	("5,735,904") or ("5,741,264") or		
	1	("5,749,876") or ("5,925,049")).PN.	1	
-	12	(("3,779,239") or ("4,453,539") or	USPAT;	2004/09/24
	1	("4,457,307") or ("4,492,226") or	US-PGPUB	09:12
	1	("4,520,511") or ("5,486,178") or	1	
	1	("5,649,928") or ("5,674,223") or		1
	1	("5,735,904") or ("5,741,264") or		
	1	("5,749,876") or ("5,925,049")).PN.	1	1
_	609	(606/69).CCLS.	USPAT;	2004/09/24
		,	US-PGPUB;	10:36
			EPO; JPO;	
	1		DERWENT	
1	1	t	TAMAKA T	<u> </u>

-	140509	deformable	USPAT;	2004/09/24
			US-PGPUB; EPO; JPO;	10:36
			DERWENT	
-	853825	thread\$3	USPAT;	2004/09/24
			US-PGPUB;	10:36
			EPO; JPO;	
	3071269	plate	DERWENT	
	30/1269	place	USPAT;	2004/09/24
			US-PGPUB; EPO; JPO;	10:36
			DERWENT	
-	3191	deformable with thread\$3	USPAT;	2004/09/24
			US-PGPUB;	10:37
			EPO; JPO;	
_	270	(deformable with thread\$3) same plate	DERWENT USPAT;	2004/00/24
	2.0	(detormable with threadys) same place	US-PGPUB;	2004/09/24
			EPO; JPO;	10.57
			DERWENT	
-	3	((deformable with thread\$3) same plate)	USPAT;	2004/09/24
		and ((606/69).CCLS.)	US-PGPUB;	10:42
	ļ		EPO; JPO; DERWENT	
-	644	threadable with holes	USPAT;	2004/09/24
		,	US-PGPUB;	10:43
			EPO; JPO;	
			DERWENT	
-	2	(threadable with holes) and	USPAT;	2004/09/24
		((606/69).CCLS.)	US-PGPUB;	10:58
		·	EPO; JPO; DERWENT	
_	10684	form adj thread\$3	USPAT;	2004/09/24
•		3	US-PGPUB;	11:15
	,	·	EPO; JPO;	
	1.0	46	DERWENT	
_	18	(form adj thread\$3) and ((606/69).CCLS.)	USPAT;	2004/09/24
			US-PGPUB; EPO; JPO;	11:35
			DERWENT	
-	9	(0 : 0 : 0 : 0 : 0 : 0 : 0 : 0 : 0 : 0	USPAT	2004/09/24
		"5601553" "5607428" "5709686"		11:16
}	2222257	"5810823" "5961524" "6030162").PN.		
-	2299267	vary varias multiple	USPAT;	2004/09/24
			US-PGPUB; EPO; JPO;	11:44
			DERWENT	
_	1929887	angles	USPAT;	2004/09/24
[US-PGPUB;	11:44
			EPO; JPO;	
_	76893	(vary varias multiple) with angles	DERWENT	2004/00/24
ļ	, 00 93	vary varias marcipie/ with angles	USPAT; US-PGPUB;	2004/09/24
			EPO; JPO;	1 - 1 - 1 - 1
			DERWENT	
_	29	((vary varias multiple) with angles) and	USPAT;	2004/09/24
		((606/69).CCLS.)	US-PGPUB;	11:50
			EPO; JPO; DERWENT	
_	184	(606/67).CCLS.	USPAT;	2004/09/24
			US-PGPUB;	12:10
			EPO; JPO;	
		1505150) 777	DERWENT	
-	58	(606/68).CCLS.	USPAT;	2004/09/24
			US-PGPUB;	12:15
			EPO; JPO; DERWENT	
_	609	(606/69).CCLS.	USPAT;	2004/09/24
			US-PGPUB;	13:42
			EPO; JPO;	
L			DERWENT	